

**To:** Bohan, Suzanne[bohan.suzanne@epa.gov]; Ostrander, David[Ostrander.David@epa.gov]; Harrison, Melissa[Harrison.Melissa@epa.gov]  
**Cc:** Colaizzi, Jennifer C.[Colaizzi.Jennifer@epa.gov]; Michaud, John[Michaud.John@epa.gov]; Mitchell, Stacey[Mitchell.Stacey@epa.gov]; Ward, W. Robert[Ward.Robert@epa.gov]; Hestmark, Martin[Hestmark.Martin@epa.gov]; EOC Public Information[EOC\_Public\_Information@epa.gov]  
**From:** Card, Joan  
**Sent:** Wed 8/12/2015 11:44:56 PM  
**Subject:** RE: ACTION: Authorization Needed to Post Work Plan and related documents on GKM Website

**Attorney Client/Ex. 5**

**From:** Bohan, Suzanne  
**Sent:** Wednesday, August 12, 2015 5:21 PM  
**To:** Ostrander, David; Harrison, Melissa  
**Cc:** Colaizzi, Jennifer C.; Michaud, John; Mitchell, Stacey; Ward, W. Robert; Hestmark, Martin; EOC Public Information; Card, Joan  
**Subject:** ACTION: Authorization Needed to Post Work Plan and related documents on GKM Website  
**Importance:** High

David and Melissa –

This is a request to authorize posting today of the GKM Work Plan, the Task Order SOW from 2014 under which the Workplan was created, the Health and Safety Plan, and related water treatment plan on the GKM public website. Following your authorization and prior to posting, these documents will be reviewed by Jennifer Colaizzi/ EOC Public Information and OGC. Please reply to all with your response as soon as possible.

Three of the documents are attached. Due to file size, I will send the Health and Safety Plan via separate email.

Thank you,

Suzanne

Suzanne J. Bohan

Assistant Regional Administrator

Office of Enforcement, Compliance, and Environmental Justice

U. S. EPA Region 8

1595 Wynkoop Street

Denver, CO 80202

303-312-6925 (direct)

303-829-0057 (cell)

**From:** Sisk, Richard  
**Sent:** Wednesday, August 12, 2015 5:06 PM  
**To:** Bohan, Suzanne  
**Cc:** Madigan, Andrea; Land, Kelcey  
**Subject:** Work Plan and related documents

Suzanne – Here are 4 documents. There is the Work Plan, the Task Order SOW from 2014 under which the Workplan was created, the Health and Safety Plan, and a water treatment plan written specifically for the Red & Bonita work that is being conducted concurrently nearby but was deemed capable of being used for the Gold King work.

Because of the size of the documents, I will have to send you the HASP in a separate email.

There is at least one other document that is relevant but has not been scanned and placed in SDMS but should be available in the morning. This is the emergency plan.

Richard Sisk  
Attorney  
U.S. EPA Region 8  
ENF-L  
1595 Wynkoop  
Denver, CO 80202-1129

Phone: 303-312-6638  
Fax: 303-312-6409  
E-mail: [sisk.richard@epa.gov](mailto:sisk.richard@epa.gov)

NOTICE: The information contained in this e-mail is intended only for the use of the recipient(s) named above. This message and any attachments may contain confidential or privileged information. If the reader is not the intended recipient or an agent responsible for delivering it to the intended recipient, you have received this document in error and any review, dissemination, disclosure, distribution, use, or copying of the contents of this message is strictly prohibited. If you have received this communication in error, please notify me immediately by e-mail or telephone and destroy all copies of the original message and any attachments.